



1. MATERIAL: ALNICO 5, SINTERED
2. GAUSS LEVEL: METER (F.W. BELL 4048 WITH TRANSVERSE PROBE)  
TYPICAL VALUE: 850g MIN. TO 1300g MAX.  
NOTE: GAUSS VALUE MEASURED WITH PROBE HELD DIRECTLY AGAINST THE END OF THE MAGNET WITH THE HALL EFFECT CENTERED ON THE MAGNET AXIS.
3. MAGNETIZATION DIRECTION: PARALLEL TO LENGTH
4. DIMENSIONS: ARE IN INCHES
5. SQUARENESS: 1°
6. PACKING: PREFERRED METHOD IS 100 MAGNETS SHRINK WRAPPED ON CARDBOARD FLATS.  
OTHER METHODS MAY BE ACCEPTABLE WITH APPROVAL.  
MAXIMUM WEIGHT IS 25 Lbs. PER BOX.

## H-31 MAGNET

## H A M L I N, Inc.

DCR No.

AI	UPDATE PACKAGING	A0854	JC	3/9/94	JC	3/15/94	Dwn. TM	DATE	4/10/68	250-70-207
REV.	DESCRIPTION OF REVISION	DCR No.	BY	DATE	APP.	DATE	App'd FH	DATE	4/16/68	Page 1 of 1